



FAZE RAZVOJA PAPRIKE-GAJENJE IZ RASADA

HERBICIDI	KOROVI	prije sadnje	sadnja rasada	8-10 dana nakon sadnje	zaštita do prve berbe vodeći računa o karenci	zaštita između berbi vodeći računa o karenci
 GLIFOL	svi iznikli korovi prije rasadijanja	3 - 4 l/ha				
 ZANAT	jednogodišnji travni i neki širokolisni korovi	4-5 l/ha				
 RAFAL 120	jednogodišnji uskolisni korovi uključujući i divlji sirak iz rizoma				1 - 2 l/ha	
FUNGICIDI	BOLESTI					
 BALB ili PREVICUR ENERGY	polijeganje rasada	15-25 ml/10 l vode ili 25 ml/10 l vode				
 VONDOZEB ili INDOFIL 75 WG* *Ima registraciju u EU.	plamenjača				2 - 2.5 kg /ha	
 PROMESA *Ima registraciju u EU.	plamenjača i crna pjegavost				0,75 l/ha	
 NATIVO 75 WG	pepelnica				0,3 kg/ha	
 INFINITO* *Ima registraciju u EU.	plamenjača				1.2 - 1.6 l/ha	
 AZIMUT 80 WG* *Ima registraciju u EU.	plamenjača i bakterioze				3 - 3,5 kg /ha	
 PROXANIL 450 SC* *Ima registraciju u EU.	plamenjača				2.5 l /ha	
 PEHAR* *Ima registraciju u EU.	siva trulež				1 - 2 l/ha	
 KOCIDE WG* *Ima registraciju u EU.	plamenjača i bakterioze				2-3 kg/ha	
INSEKTICIDI	ŠTETOČINE					
 POLUX* *Ima registraciju u EU.	lisne vaši, podgrizajuće sovice, lisne sovice, bijela leptirasta vaš				0,3 - 0,5 l/ha	
 KRAFT 1,8 EW* *Ima registraciju u EU.	tripsi, obični paučinar, lisni mineri				0,75 - 1,2 l/ha	
 TONUS	lisne vaši				0.25 - 0.4 kg/ha	
 HARPUN* *Ima registraciju u EU.	bijela leptirasta vaš				0,5 - 0,75 l/ha	
 WARANT 70 WG *primjena samo u zatvorenom prostoru	lisne vaši, lisne sovice, tripsi				0.14 kg/ha	